RIVO CONSTRUCT

PVC WINDOWS

LIFT & SLIDE DOORS

ENTRANCE DOORS

TILT & SLIDE DOORS

CONTACT

Phone: +4 0721 565 009
Email: info@rivo.ro

ADDRESS

bulevardul Ficusului, nr. 44A
sector 1, Bucuresti

www.rivo.ro

SALAMANDER PROFILES

SALAMANDER WINDOW & DOOR SYSTEMS	*Salamander bluEvolution 92*	*Salamander bluEvolution 82*	*Salamander greenEvolution 76*	*Salamander proEvolution 76*
CHAMBERS	6	6	6	5
GASKETS	3	3	3	3
SYSTEM DEPTH	92 mm	82 mm	76 mm	72 mm
STEEL REINFORCEMENT	2 mm	2 mm	1.5 mm	1.5 mm
GLASS	52 / 60 mm	28 / 48 / 52 mm	28 / 48 mm	24 / 28 / 44 mm
THERMAL TRANSFER	0.72 W/m^{2}K	0.75 W/m^{2}K	0.75 W/m^{2}K	0.83 W/m^{2}K

ANTI-BURGLARY HARDWARE

mushroom type mechanism and locking points

action rod for second sash

anti-mishandling

micro-ventilation when the handle is at 45°

SAINT GOBAIN GLASS WITH WARM EDGE



✓ continuous WarmEdge without corners or other joints
✓ perfect alignment of the two spacers for triple glass
✓ greatly improved thermal transfer coefficient
✓ minimizes the possibility of condensation
✓ extremely low argon loss rate
✓ black colour

LIFT AND SLIDE DOORS

standard handle

optional handle



buried treshold



low treshold

✓ wide openings
✓ extremely easy sliding
✓ sealing with gaskets
✓ glass with a thickness of 48 or 52 mm
✓ fiberglass threshold, buried in the floor
✓ Soft Close system





TILT AND SLIDE DOORS

These type of doors are produced from the same profiles as the rest of the windows. A rail is installed at the bottom of the frame on which the opening (sash) slides, coming out from the frame in the opened position.



close



open / ventilation



open

INSTALLATION

Although the windows are produced in fully-automated modern factories, the human factor is still the most vital part of the installation process. For this reason, we are taking measures to assist you, where possible, to ensure a fluently and error-free installation:

✓ glass is installed on the frames and sashes;
✓ pre-drilled screws holes, in case of installation with screws;
✓ supply of anchors, in case of installation with anchors;
✓ supply of installation materials (EPDM, precompressed band …).

ENTRANCE DOORS

www.rivo.ro

RIVO CONSTRUCT

INOX-180

INOX-181-M

INOX-200

INOX-201-M

INOX-350

INOX-360

INOX-361-M

INOX-380

INOX-381-M

INOX-400

INOX-401-M

INOX-441-M

P2300

P2303-M

P2353-M

P5500

P5501-M

P5551-M

P5800

P5801-M

P5851-M

P5900

P5901-M

P5953-M

P6800

P6801-M

P6851-M

P8300

P8900

P9100

P9101-M

P9151-1-M

glass

P8700-S8600

P8702-M-S8601-M

P8752-M-S8651-M

T25-1-MK25-1-M

T25-K25

T26-MK26-M

T40-1-MK40-1-M

T70-2-MK70-2-M